

AD632665

AFCRL-66-263

Ionospheric Research

Contract No. AF19(628)-4014

Scientific Report

on

"The Measurement of Phase and Amplitude Radio Wave
Interaction at University Park, Pennsylvania

October - November 1965"

by

A. J. Ferraro and H. S. Lee

March 15, 1966

Scientific Report No. 266

(Project 8605, Task 860502)

"The research reported in this document has been sponsored by the National Science Foundation under Grant GP-846 and, in part, by the Air Force Cambridge Research Laboratories, Office of Aerospace Research, United States Air Force, Bedford, Massachusetts under Contract AF19(628)-4014."

Distribution of this document is unlimited.

Ionosphere Research Laboratory

Approved for Distribution

A. H. Waynick

A. H. Waynick, Director, I. R. L.

The Pennsylvania State University

College of Engineering

Department of Electrical Engineering

BEST AVAILABLE COPY

AFCRL-66-263

Ionospheric Research

Contract No. AF19(628)-4014

Scientific Report

on

**"The Measurement of Phase and Amplitude Radio Wave
Interaction at University Park, Pennsylvania**

October - November 1965"

by

A. J. Ferraro and H. S. Lee

March 15, 1966

Scientific Report No. 266

(Project 8605, Task 860502)

**"The research reported in this document has been sponsored by the
National Science Foundation under Grant GP-846 and, in part, by the
Air Force Cambridge Research Laboratories, Office of Aerospace
Research, United States Air Force, Bedford, Massachusetts under
Contract AF19(628)-4014."**

Distribution of this document is unlimited.

Ionosphere Research Laboratory

Approved for Distribution

A. H. Waynick

A. H. Waynick, Director, I.R.L.

The Pennsylvania State University

College of Engineering

Department of Electrical Engineering

Table of Contents

	Page
Abstract	i
Introduction	1
Basis of Measurements	2
Specifications of Experimental Facilities	5
Presentation of Data	5
Table of T_A and T_ϕ	7
Acknowledgements	29
References	30

Abstract

This report presents the data obtained from the measurement of phase and amplitude radio wave interaction during the period of October 1, 1965 through November 30, 1965. The work was carried out at the Ionosphere Research Laboratory, The Pennsylvania State University, (N. Lat. 40° - $47'$, W. Long. 77° - $57'$), University Park, Pennsylvania, U.S.A. The present work is categorized as "Miscellaneous Measurements" in the discipline of "Ionosphere" in the IQSY program.

Introduction

This report describes the results of the measurement of phase and amplitude radio wave interaction made during the period of October 1, 1965 through November 30, 1965. The work was carried out at the Ionosphere Research Laboratory, The Pennsylvania State University (N. Lat. $40^{\circ}47'$, W. Long. $77^{\circ}57'$), University Park, Pennsylvania, U.S.A. The present work is categorized as "Miscellaneous Measurements" in the discipline of "Ionosphere" in the IQSY program.

The objective of the present work is to study the properties of ionospheric D-region using radio wave interaction effect which is also commonly known as Luxembourg effect. The present technique closely follows that developed by Fejer (1955) for radio wave amplitude interaction experiment. However, the technique of measurement as well as the theory of radio wave interaction have been extended and generalized at the Ionosphere Research Laboratory by the introduction of complex coefficient of interaction T , to embody the effect of interaction on both the amplitude and the phase of radio waves.

Radio wave interaction, or the Luxembourg effect, depends upon the fact that a so-called "disturbing" transmitter can impart energy to the electrons of the ionosphere in the height range of interest and hence increase their thermal energy and, consequently, the collision frequency. Another radio signal from a "wanted" transmitter, in passing through this region, will suffer a slightly greater attenuation than it would if the disturbing transmitter were non-operative. Fejer employed pulse transmissions for both the disturbing and wanted signals with the former having a pulse repetition rate of one-half the latter. In this manner,

every other "wanted" pulse would be affected by the increased absorption introduced by the disturbing transmitter. Furthermore, by changing the time-delay between the keying of the two transmitters, the highest height level at which interaction can occur is controlled. With this scheme, Fejer was able to deduce preliminary height profiles of electron density and collision frequency.

It is quite obvious that if the ionospheric medium is disturbed by a high power transmitter there will be an increase in the electron temperature which manifests itself as a change in collision frequency which, in turn, produces a small perturbation in the imaginary and real parts of the local complex refractive index. This change in the imaginary part of the index is responsible for the amplitude interaction effect which Fejer and other workers have studied in the past with a great deal of success. Corresponding to the perturbation in the real part of the index, there should be a small change in the phase of the wanted radio frequency carrier; this will be termed phase interaction. This effect had never been observed before or considered as a possible technique for the study of the lower ionosphere.

Basis of Measurements

The new technique for the measurement of phase interaction and the derivation of generalized complex coefficient of interaction T in the theory of radio wave interaction are described in detail by Weisbrod (1964) and Weisbrod, et al. (1964). The expression of the complex coefficient necessary for the interpretation of the data tabulated in this report is given below.

$$T = T_A + jT_\phi = \int_0^{h'_i} \frac{T_h(1 - e^{-Gv\tau})}{Gv\tau} \exp\left[\frac{-2Gv(h'_i - h)}{c}\right] \left(\frac{-\partial F}{\partial h}\right) dh \\ + \int_{h'_i}^{h_i} \frac{T_h}{Gv\tau} \left\{1 - \exp\left[\frac{-2Gv(h_i - h)}{c}\right]\right\} \left(\frac{-\partial F}{\partial h}\right) dh$$

where

$T_A = \frac{\Delta A}{A}$ = Fractional change in the amplitude of wanted signal due to radio wave interaction.

$T_\phi = \Delta\phi$ = Differential change in the phase of wanted signal due to radio wave interaction.

$$T_h = T_{hA} + jT_{h\phi} = \frac{\alpha}{h^2} \frac{Z}{[(1 \pm Y_L) - jZ]^2}$$

$$\alpha = \frac{e^2 P_D G_D \tau \beta}{12\pi k \Theta m \epsilon_0 \omega^2}$$

P_D = Disturbing transmitter power

G_D = Disturbing antenna gain

h = Height variable

τ = Duration of disturbing pulse

k = Boltzmann constant

e = Electron charge

m = Electron mass

ϵ_0 = Permittivity of free space

Θ = Electron temperature

ω = Angular frequency of wanted radio wave

β = Free space propagation constant ω/c

c = Velocity of light

G = Energy loss coefficient

v = Electron collision frequency

h_i' = The height at which the down-coming wanted signal
meets the upgoing disturbing signal

$$h_i' = h_i - \frac{c\tau}{Z}$$

$$Z = v/\omega$$

Y_L = Longitudinal component of Y

$$Y = \omega_H/\omega$$

ω_H = Angular gyro frequency

$$F = \exp \int_0^h [-2\beta_D x_D(h')] dh'$$

$$\beta_D = \omega_D/c$$

ω_D = Angular frequency of disturbing radio wave

h' = Dummy height variable

x_D = Absorption index of disturbing radio wave

The quantities measured in the present experiment are the real and imaginary components of the complex coefficient of interaction T_A and T_φ , respectively. Various methods of obtaining electron density and collision frequency height profiles have been evaluated. These techniques appear in the Ionosphere Research Scientific Reports No. 220, 238, and 248.

Specifications of Experimental Facilities

	<u>Wanted radio signal</u>	<u>Disturbing radio signal</u>
Frequency	2.2 Mc/s	300 Kc/s
Pulse repetition rate	75 per sec.	37.5 per sec.
Pulse duration	50 μ sec.	150 μ sec.
Peak power	10 kw	100 kw
Polarization	circular polarization (ordinary)	linear polarization

With the above-given specifications, the order of magnitude of T_A and T_φ to be measured are 0.01% and 10^{-4} radians, respectively.

Presentation of Data

The data, T_A and T_φ , tabulated in this report were measured during daylight hours (approximately 0900 hours to 1600 hours EST) with the values of h_i varied from approximately 55 km to 95 km at 5 km steps. In view of the fact that the quantities to be measured were extremely small, it was necessary to integrate the effect over a period of 2.5 minutes and in some cases 5 minutes for each height of h_i . Due to strong interferences, it was impractical to make the measurements during the nighttime.

The data obtained during the months of October and November 1965 are tabulated on a daily basis with corresponding values of h_i indicated and with the time of beginning of each measurement interval given in Universal Time. The multiplication factor for both T_A and T_φ given in the table is 10^{-4} .

A distinction is made between a blank and a zero in the tabulation of data. The former indicates that the reliable data are not available

while the latter indicates that the interaction effect is nil within the resolution of the measurement. The interaction data, are qualified with a symbol to indicate the conditions under which the measurement was made. These symbols are essentially those standard symbols used in reporting ionospheric wind measurements except that the meaning associated with "N" has been modified slightly to fit the needs of the interaction program. These symbols are as defined below:

- B - Measurement influenced by, or impossible because of, high non-deviative absorption.
- N - Conditions are such that measurement cannot be readily interpreted because the echo pattern is changing too rapidly with time to permit reliable interaction measurements.
- S - Measurement influenced by, or impossible because of, interference or atmospherics.
- U - Uncertain or doubtful numerical value.

Table of T_A and T_φ

October 1965

Date	Time (U. T.)	h_i	T_A	T_φ	Symbols
1	1437.0	52	0.59		N
	1442.0	57	0.82		
	1447.0	62	0.35		N
	1452.0	67	0.82		
	1457.0	72	0.94		
	1502.0	77	0.47		
	1507.0	82	0.24		N
	1657.0	62	0.90		
	1702.0	67	1.70		
	1707.0	72	1.80		
	1712.0	77	1.40		
	1717.0	82	1.30		
	1757.0	52	-0.70		
	1802.0	57	1.0		
	1807.0	62	1.60		
	1812.0	67	1.20		
	1817.0	72	0.80		
	1822.0	77	1.10		
	1827.0	82	1.20		
	1857.0	52	0.70	0.89	
	1902.0	57	1.0	0.55	
	1907.0	62	0.90	1.11	
	1912.0	67	1.30	0.78	
	1917.0	72	1.20	0.22	
	1922.0	77	1.10	1.44	
	1927.0	82	1.10		N
	1932.0	87	1.40		U
	1652.0	52	0.70	0.70	
	1657.0	57	0.60	0.80	
	1702.0	62	1.30	0.40	
	1707.0	67	1.90	0.60	
	1712.0	72	1.0	1.12	
	1717.0	77	0.82	0.37	
	1722.0	82		1.12	
	1747.0	52	0.27		N
	1752.0	57	1.18		
	1757.0	62	1.64		
	1802.0	67	1.73		
	1807.0	72	2.11		
	1812.0	77	1.11		
	1817.0	82	1.56		N, U

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_ϕ</u>	<u>Symbols</u>
3	1927.0	62		0.67	
	1932.0	67		0.33	
	1937.0	72		0.78	
	1942.0	77		0.89	
	1947.0	82		1.0	
	1952.0	87		1.11	
4	1747.0	57	0.90		N
	1752.0	62	0.70		N
	1757.0	67	1.50		
	1802.0	72	1.20		
	1807.0	77	1.89		
	1812.0	82	0.63		
	1817.0	87	0.84		N, U
5	1904.5	47	- 0.42		N
	1909.5	52	0.84		N
	1914.5	57	0.63		
	1919.5	62	0.95		
	1924.5	67	1.26		
	1929.5	72	1.10		
	1934.5	77	0.50		
6	2017.0	57	0.80		
	2022.0	62	1.30		
	2027.0	67	1.30		N
	2032.0	72			
	2037.0	77	1.40		
7	1507.0	62	0.86		
	1512.0	67	1.43		
	1517.0	72	1.17		
	1522.0	77	0.83		
8	1617.0	67	1.33		
	1622.0	72	1.44		
	1627.0	77	1.33		
	1632.0	82	1.0		
9	1707.0	57	0.57		
	1712.0	62	0.71		
	1717.0	67	1.14		
	1722.0	72	1.17		
	1727.0	77	1.50		
10	1807.0	57	1.26	1.05	
	1812.0	62	1.37	0.74	
	1817.0	67	2.0	0.74	
	1822.0	72	1.89	0.94	
	1827.0	77	0.84	0.47	
	1832.0	82	1.58	0.35	

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_φ</u>	<u>Symbols</u>
5	1857.0	52		0.33	
	1902.0	57		0.55	
	1907.0	62		0.55	
	1912.0	67		0.22	
	1917.0	72		0.89	
	1922.0	77		0.44	
	1927.0	82		0.78	
6	1407.0	57	0.54		
	1412.0	62	0.82		
	1417.0	67	0.90		
	1422.0	72	1.91		
	1427.0	77	0.84		N
	1542.0	57	0.84		N
	1547.0	62	0.53		N
	1552.0	67	2.10		N
	1557.0	72	1.79		
	1602.0	77	1.22		
	1607.0	82	0.78		N
	1612.0	87	1.56		N, U
	1802.0	52	0.62	0.37	
	1807.0	57	0.77	0.50	
	1812.0	62	1.23	0.50	
	1817.0	67	0.62		
	1822.0	72	0.67	1.0	
	1827.0	77	0.67	1.0	
	1832.0	82		2.0	
	1837.0	87	0.53		
	1802.0	57	1.20	1.25	
	1807.0	62	1.07	1.0	
	1912.0	67	1.47	1.50	
	1917.0	72	1.33	1.75	
7	1607.0	62		0.67	
	1612.0	67		1.0	
	1617.0	72		1.07	
	1707.0	52	0.92		
	1712.0	57	1.0	1.07	
	1717.0	62	1.16	1.33	
	1722.0	67	1.16		
	1727.0	72	1.0	1.33	
	1732.0	77	1.80	2.44	

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_φ</u>	<u>Symbols</u>
8	1527.0	52	0.27		
	1532.0	57			
	1537.0	62	0.73		
	1542.0	67	0.64		
	1547.0	72	1.27		
	1552.0	77	1.78		
	1557.0	82	1.11		N
	1632.0	52	0.33		
	1637.0	57	0.44		N
	1642.0	62	0.89		
	1647.0	67	1.22		
	1652.0	72	1.33		
	1657.0	77	2.0		
	1702.0	82	1.40		N
9	1412.0	57	0.53		
	1417.0	62	1.20		N
	1422.0	67	1.07		N
	1427.0	72	1.47		
	1432.0	77	0.90		
	1437.0	82	1.09		
	1442.0	87	0.45		N
	1537.0	57	0.36		
	1542.0	62	0.82		
	1547.0	67	0.90		
	1552.0	72	1.45		
	1557.0	77	1.36		
	1602.0	82	0.45		N
	1642.0	52	0.27		
	1647.0	57	0.73		
	1652.0	62	0.90		
	1657.0	67	1.45		
	1702.0	72	0.64		
	1707.0	77	0.76		
	1712.0	82	1.24		N
	1747.0	52	0.57		
	1752.0	57	0.38	0.32	
	1757.0	62	1.05	0.42	
	1802.0	67	1.33	0.32	
	1807.0	72	1.52	0.53	
	1812.0	77	1.16		
	1817.0	82	0.50		

Date	Time (U. T.)	<u>h_i</u>	<u>T_A</u>	<u>T_φ</u>	Symbols
9	1957.0	52	-0.27		N
	2002.0	57	0.36		N
	2007.0	62	0.64		
	2012.0	67	1.09		
	2017.0	72	1.18		
	2022.0	77	1.54		
	2027.0	82	1.18		
	2032.0	87	1.45		N, U
	2037.0	92	0.36		N, U
10	1622.0	57		1.50	
	1627.0	62	0.44		
	1632.0	67	1.56	1.25	
	1637.0	72	1.78	1.28	
	1642.0	77	1.78	1.14	
	1647.0	82	1.11		
	1707.0	52		0.57	
	1712.0	57	0.62	1.0	
	1717.0	62	1.12	1.43	
	1722.0	67	1.37	1.14	
	1727.0	72	1.62	1.20	
	1732.0	77	0.87	0.67	
	1737.0	82	0.75	0.40	
	1757.0	52	0.37		
11	1802.0	57	0.75	0.40	
	1807.0	62	1.50	0.80	
	1812.0	67	1.87	0.93	
	1817.0	72	1.71	1.09	
	1822.0	77	1.86		
	1827.0	82	1.0		
	1849.5	57	0.86		
11	1854.5	62	1.0		
	1859.5	67	0.86		N
	1904.5	72	1.50		
	1909.5	77	1.25		
	1914.5	82	0.62		N, U
	1452.0	52	-0.50		
	1457.0	57	0.60		
	1502.0	62	1.10		
	1507.0	67	1.70		
	1512.0	72	1.80		
	1517.0	77	2.0		
	1522.0	82	0.80		

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_ϕ</u>	<u>Symbols</u>
11	1857.0	52	-0.62		N
	1902.0	57	1.0		
	1907.0	62	0.87		
	1912.0	67	1.75		
	1917.0	72	1.22		
	1922.0	77	1.33		
	1927.0	82	1.11		
	1954.5	57	0.40		
	1959.5	62	0.60		
	2004.5	67	0.80		
	2009.5	72			
	2014.5	77	0.80		
	2019.5	82	0.60		
12	1437.0	52	0.87		S
	1442.0	57	1.75		
	1447.0	62	1.87		
	1452.0	67	2.0		
	1457.0	72	2.37		
	1502.0	77	1.87		
	1507.0	82	0.53		S
	1557.0	52	0.93		
	1602.0	57	1.47		
	1607.0	62	0.80		N
	1612.0	67	1.87		
	1617.0	72	2.0		
	1622.0	77	1.76		
	1627.0	82	1.41		N, U
	1657.0	52	-0.59	0.71	N
	1702.0	57	1.18	1.43	
	1707.0	62	1.65	1.86	
	1712.0	67	1.53		N
	1717.0	72	1.50		N
	1722.0	77	1.87	1.25	N
	1837.0	62	1.40		
	1842.0	67	1.60		
	1847.0	72			
	1852.0	77	1.20		
13	1527.0	57	-0.30	1.05	N
	1532.0	62	1.0	1.26	
	1537.0	67	0.50	1.05	
	1542.0	72	0.60	0.63	N
	1547.0	77	0.50	0.62	N
	1552.0	82	0.37		N

Date	Time (U. T.)	<u>h</u> _i	T _A	T _φ	Symbols
13	1642.0	57	0.62	0.75	N
	1647.0	62	1.0	1.0	N
	1652.0	67	1.50	1.50	N
	1657.0	67	0.75	1.50	
	1702.0	72	1.50	1.17	
	1707.0	77	0.50	1.33	N
14	1837.0	52	1.0	0.62	N
	1842.0	57	1.12	1.12	N, U
	1847.0	62	1.0	1.0	N
	1852.0	67	0.87	1.12	N
	1857.0	72	1.33	0.42	N
	1902.0	77	0.93	0.84	N
15	1937.0	57	1.16		
	1942.0	62			
	1947.0	67	0.63		
	1952.0	72	0.95		
	1957.0	77	0.42		
	2002.0	82	0.74		
16	2007.0	87	0.53		
	1712.0	52	-0.54		N
	1717.0	57	-0.27		N
	1722.0	62	0.27		N
	1727.0	67	0.73		N
	1732.0	72	1.0		N
17	1737.0	77	0.54		N
	1742.0	82	0.54		N
	1837.0	67	0.80		
	1842.0	72	1.20		
	1847.0	77	1.20		
	1852.0	82	1.0		
18	1432.0	52	0.45		
	1437.0	57	0.54		
	1442.0	62	1.64		
	1447.0	67	1.54		
	1452.0	72	1.91		
	1457.0	77	2.0		
19	1502.0	82	0.74		
	1507.0	87	1.16		N, U
	1607.0	52	1.16		N
	1612.0	57	0.84		
	1617.0	62	1.16		
	1622.0	67	2.0		
20	1627.0	72	2.10		
	1632.0	77	1.62		
	1637.0	82	1.71		
	1642.0	87	1.05		N

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_φ</u>	<u>Symbols</u>
15	1907.0	57		0.27	
	1912.0	62		1.07	
	1917.0	67		0.53	
	1922.0	72		0.93	
	1927.0	77		1.07	
	1932.0	82		0.80	
18	1542.0	57	-0.50		N
	1547.0	62	1.10		
	1552.0	67	1.50		
	1557.0	72	1.62		
	1602.0	77	0.67		
	1742.0	52	0.48		
	1747.0	57	0.95		
	1752.0	62	1.14		
	1757.0	67	1.60		
	1802.0	72	1.50		
	1807.0	77	0.50		
	1837.0	52	0.40		N
19	1842.0	57	0.70		
	1847.0	62	1.20		
	1852.0	67	1.10		
	1857.0	72	1.40		
	1902.0	77	1.0		
	1907.0	82	0.90		
	1427.0	52	0.36		N
	1437.0	57	0.36		N
	1442.0	62	0.28		N, U
	1447.0	67	0.57		
	1452.0	72	1.28		N
	1457.0	77	1.36		N
19	1502.0	82	0.64		N
	1527.0	52	0.32		N
	1532.0	57	0.64		
	1537.0	62	1.28		
	1542.0	67	1.44		
	1547.0	72	0.64		
	1552.0	77	0.78		
	1557.0	82	0.86		N
19	1642.0	52	-0.36		N
	1647.0	57	-0.21		N
	1652.0	62	1.07		
	1657.0	67	1.43		
	1702.0	72	1.57		
	1707.0	77	1.50		

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_ϕ</u>	<u>Symbols</u>
21	1432.0	52	0.30		N
	1437.0	57	0.90		N
	1442.0	62	0.70		
	1447.0	67	0.60		
	1452.0	72	1.14		
	1457.0	77	1.05		
	1502.0	82	0.95		
	1507.0	87	0.95		,N
	1547.0	67	1.53		
	1552.0	72	2.12		
	1557.0	77	1.87		
	1602.0	82	1.12		
	1637.0	57	0.75		
	1642.0	62	1.37		
	1647.0	67	1.75		
	1652.0	72	1.37	0.67	
	1657.0	77	1.68	0.83	
	1702.0	82	0.74	1.0	
	1707.0	87		2.0	
	1932.0	52	0.62		S
	1937.0	57			
	1942.0	62	0.62		S
	1947.0	67	1.0		S
	1952.0	72	0.62		S
	1957.0	77	0.75		S
	2002.0	82	1.37		S
	2007.0	87	0.50		S
23	1437.0	52	0.25		
	1442.0	57	1.25		
	1447.0	62	1.25		
	1452.0	67	1.0		S
	1457.0	72	0.40		S
	1502.0	77	1.30		S
	1507.0	82	0.80		S
	1537.0	52	0.80		
	1542.0	57	1.0		
	1547.0	62	1.60		
	1552.0	67	1.80		
	1557.0	72	2.30		
	1602.0	77	1.80		
	1607.0	82	0.80		
	1632.0	52	-0.60		
	1637.0	57	1.10		
	1642.0	62	0.30		N
	1647.0	67	1.40		
	1652.0	72	1.70		
	1657.0	77	1.60		
	1702.0	82	1.0		

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_φ</u>	<u>Symbols</u>
23	1732.0	52	1.14		
	1737.0	57	1.57	1.33	
	1742.0	62	1.43	1.56	
	1747.0	67	1.71	0.89	
	1752.0	72	0.50		
	1757.0	77	1.10	1.78	
	1802.0	82	0.60	2.0	
	1832.0	52	0.28		S
	1837.0	57	0.57		S
	1842.0	62	1.05		
	1847.0	67	1.33		
	1852.0	72	1.14		S
	1857.0	77	0.57		
	1902.0	82	1.71		S, U
	1907.0	87	0.76		S, U
24	1637.0	52	0.57		N
	1642.0	57	0.86		
	1647.0	62	2.57		
	1652.0	67	2.0		
	1657.0	72	2.37		
	1702.0	77	1.62		
	1707.0	82	1.0		
	1732.0	52	1.12		
	1737.0	57	0.75		
	1742.0	62	1.25		
	1747.0	67	1.37		
	1752.0	72	1.80		
	1757.0	77	1.70		
	1802.0	82	1.30		
	1837.0	57	0.50		
	1842.0	62	0.90		
	1847.0	67	1.10		
	1852.0	72	1.20		
	1857.0	77			
	1902.0	82	1.30		
25	1432.0	52	-1.0		
	1437.0	57	0.75		
	1442.0	62	0.87		
	1447.0	67	1.0		
	1452.0	72	0.70		
	1457.0	77	1.30		
	1502.0	82	0.90		
	1507.0	87	0.60		
	1552.0	62	0.60		
	1557.0	67	1.10		
	1602.0	72	1.60		
	1607.0	77	1.30		

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_φ</u>	<u>Symbols</u>
26	1432.0	52	0.20		N
	1437.0	57	0.40		N
	1442.0	62	0.30		N
	1447.0	67	0.60		
	1452.0	72	0.70		
	1457.0	77	1.70		
	1502.0	82	0.90		N
	1507.0	87	0.80		N
	1632.0	52	0.62		
	1637.0	57	0.37		
	1642.0	62	0.62		
	1647.0	67	0.75		
	1732.0	52	-0.16		N
	1737.0	57	-0.75		N, U
	1742.0	62	0.58		
	1747.0	67	0.84		
	1752.0	72	1.16		
	1757.0	77	1.08		N
27	1442.0	62	0.86		
	1447.0	67	1.28		
	1452.0	72	1.23		
	1457.0	77	0.46		
	1537.0	52	0.46		
	1542.0	57			
	1547.0	62	0.92		
	1552.0	67	0.85		
	1557.0	72	0.95		
	1602.0	77	0.76		
	1607.0	82	0.67		
	1632.0	52	-0.74		N
	1637.0	57	0.84		
	1642.0	62	1.58		
	1647.0	67	1.26		
	1652.0	72	1.28		
	1657.0	77	0.86		N
	1702.0	82	0.71		
	1737.0	52	-0.57		N
	1742.0	57	1.43		
	1747.0	62	1.86		
	1752.0	67	2.14		
	1757.0	72	1.64		
	1802.0	77	1.09		

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_ϕ</u>	<u>Symbols</u>
28	1632.0	52	-0.40		N
	1637.0	57	0.30		N
	1642.0	62	1.30		N
	1647.0	67	1.50		N
	1652.0	72	1.20		N
	1657.0	77	0.70		N
29	1637.0	57	0.17		
	1642.0	62	0.70		
	1647.0	67	0.70		
	1652.0	72	1.26		
	1657.0	77	1.37		
	1702.0	82	1.16		
30	1832.0	52	-0.13		N
	1837.0	57	-0.52		N
	1842.0	62	0.39		
	1847.0	67	0.64		
	1852.0	72	0.84		
	1857.0	77	0.90		
31	1442.0	62	0.33		
	1447.0	67	0.78		
	1452.0	72	0.93		
	1457.0	77	0.86		
	1502.0	82	0.71		
	1532.0	52	-0.48		N
	1537.0	57	0.38		
	1542.0	62	0.67		
	1547.0	67	1.24		
	1552.0	72	1.44		
	1557.0	77	1.56		
	1632.0	52	-0.89		N
	1637.0	57	-0.78		N
	1642.0	62	0.22		N
	1647.0	67	1.44		
	1652.0	72	1.79		
	1657.0	77	1.37		
	1702.0	82	1.07		
	1707.0	87	1.60		N

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_φ</u>	<u>Symbols</u>
31	1747.0	67		1.56	
	1752.0	72		1.09	
	1757.0	77	,	1.27	
	1802.0	82		0.91	

Table of T_A and T_φ

November 1965

Date	Time (U. T.)	h_i	T_A	T_φ	Symbols
1	1532.0	52	-0.42		
	1537.0	57	-0.16		
	1542.0	62	-0.75		
	1547.0	67	0.42		
	1552.0	72	1.25		
	1557.0	77	1.0		
	1602.0	82	0.87		
	1607.0	87	0.50		
2	1542.0	62	0.44		N
	1547.0	67	1.11		
	1552.0	72	0.85		
	1557.0	77	0.62		
3	1832.0	52	-0.75		N
	1837.0	57	-0.92	0.75	N
	1842.0	62	0.33	1.75	
	1847.0	67	1.33	1.25	
	1852.0	72	0.92	1.50	
	1857.0	77	1.08	1.50	
	1902.0	82	0.50	1.0	
	1907.0	87	0.24		
4	1447.0	52	-0.63		
	1452.0	57	-0.42		
	1457.0	62	0.32		
	1502.0	67	0.74		
	1507.0	72	1.18		
	1512.0	77	0.24		
	1557.0	52	-1.06		
	1602.0	57	-0.47		
5	1607.0	62	-0.35		
	1612.0	67	0.94		
	1617.0	72	1.0		
	1622.0	77	0.86		
	1637.0	52	-0.63		N
	1642.0	57	0.21		N
	1647.0	62	0.21		N
	1652.0	67	0.53		N
6	1657.0	72	0.67		N
	1742.0	62		1.0	N
	1747.0	67		2.33	N
	1752.0	72		2.67	N
	1757.0	77		3.33	N

Date	Time (U. T.)	h_i	T_A	T_ϕ	Symbols
6	1537.0	52	- 0.18	1.25	N
	1542.0	57	0.27	1.50	
	1547.0	62	0.82		
	1552.0	67	1.27	1.0	
	1557.0	72	1.40	0.75	
8	1457.0	52	-0.44		N
	1502.0	57	0.44		
	1507.0	62	0.55		
	1512.0	67	0.78		
	1517.0	72	1.89		
	1522.0	77	2.33		
	1527.0	82	1.89		
	1532.0	87	1.0		
	1732.0	52	0.35	0.89	
10	1737.0	57	0.94	1.11	N
	1742.0	62	1.76	1.33	
	1747.0	67	1.29	1.11	
	1752.0	72	1.41	2.22	
	1757.0	77	0.59	1.40	
	1802.0	82	1.53	0.60	
	1837.0	52	0.47	1.40	
	1842.0	57	0.70	1.0	
	1847.0	62	0.35	0.60	
9	1852.0	67	1.41	1.20	N
	1857.0	72	1.53	2.20	
	1902.0	77	1.22	2.33	
	1907.0	82	1.0	2.33	
	1912.0	87	0.67		
	1507.0	52	- 0.54		
	1512.0	57	0.90		
	1517.0	62	1.27		
	1522.0	67	1.56		
11	1527.0	72	2.22		N
	1532.0	77	1.33		
	1632.0	52	0.33		
	1637.0	57	0.66		
	1642.0	62	0.84		
12	1647.0	67	0.92		N
	1652.0	72	0.67		
	1852.0	52	- 0.34		
	1857.0	57	- 0.21		
	1902.0	62	0.55		
13	1907.0	67	0.90		N
	1912.0	72	0.62		

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_φ</u>	<u>Symbols</u>
10	1832.0	52	0.50		
	1837.0	57	0.67	0.44	
	1842.0	62	0.67	0.67	
	1847.0	67	1.33	0.67	
	1852.0	72	0.54		
	1857.0	77	0.45		
	1927.0	52	-0.54		
	1932.0	57	0.27		
	1937.0	62	0.73		
	1942.0	67	1.0		
	1947.0	72	0.36		
	1952.0	77	0.54		
12	1432.0	52	0.18		
	1437.0	57	0.54		
	1442.0	62	0.82		
	1447.0	67	0.73		
	1452.0	72	0.45		
	1457.0	77	1.16		
	1502.0	82	0.50		
	1702.0	52	-0.86		N
	1707.0	57	0.57		
	1712.0	62	0.28		
	1717.0	67	0.76		
12	1722.0	72	1.43		
	1727.0	77	1.27		
	1732.0	82	0.90		
	1737.0	87	0.90		
	1842.0	52	-0.18		N
	1847.0	57	1.0		
	1852.0	62	0.73		
	1857.0	67	0.73		
13	1902.0	72	1.36		
	1907.0	77	1.27		
	1912.0	82	0.54		
	1647.0	52	0.36		
	1652.0	57	0.57		
	1657.0	62	0.57		
	1702.0	67	0.64		

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_ϕ</u>	<u>Symbols</u>
13	1812.0	52	-0.38		
	1822.0	57	0.31		
	1827.0	62			
	1832.0	67	1.0		
	1837.0	72	1.23		
	1842.0	77	1.31		
	1847.0	82	1.23		
	1852.0	87	0.62		
16	1842.0	52	0.50		
	1847.0	57	1.20		
	1852.0	62	1.40		
	1857.0	67	1.60		
	1902.0	72	2.20		
	1907.0	77	1.60		
	1912.0	82	1.30		
	1917.0	87	1.0		
	1922.0	92	0.60		
17	1452.0	52	-0.23		N
	1457.0	57	0.54		
	1502.0	62	0.69		
	1507.0	67	0.77		
	1512.0	72	0.46		
	1517.0	77	1.38		
	1522.0	82	0.85		
	1527.0	87	0.54		N
18	1802.0	52	0.25		
	1807.0	57	0.58		
	1812.0	62	0.42		
	1817.0	67	0.92		
	1822.0	72	0.66		
19	1602.0	52	0.14		
	1607.0	57	0.21		
	1612.0	62	0.36		
	1617.0	67	0.71		
	1622.0	72	1.07		
	1627.0	77	1.0		
	1632.0	82	0.71		
	1637.0	87	0.43		
	1727.0	52	-0.50		
	1732.0	57	0.36		
	1737.0	62	0.71		
	1742.0	67	1.14	0.36	
	1747.0	72	1.50	0.54	
	1752.0	77	1.38	0.64	
	1757.0	82	1.0	0.36	
	1802.0	87	0.54		
	1807.0	92	0.85		

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_φ</u>	<u>Symbols</u>
19	1852.0	62	0.26		
	1857.0	57	0.78		
	1902.0	72	0.52		
	1907.0	77	0.18		
	1912.0	82	1.09		
	1947.0	52	0.25		
	1952.0	57	0.66		
	1957.0	62	1.08		
	2002.0	67	0.58		
	2007.0	72	0.50		
20	2012.0	77	0.33		
	2017.0	82	0.25		
	2022.0	87	0.16		
	2027.0	92	0.58		N
	1627.0	52	0.21		
	1632.0	57	0.55		
	1637.0	62	0.90		
	1642.0	67	1.24		
	1647.0	72	1.08		
	1652.0	77	1.31		
21	1657.0	82	0.69		
	1807.0	52	0.23		
	1812.0	57	0.46	0.25	
	1817.0	62	1.23	0.87	
	1822.0	67	1.77	0.75	
	1827.0	72	0.93		
21	1832.0	77	0.43		
	1622.0	52	0.28		
	1627.0	57	0.50		
	1632.0	62	1.0		
	1637.0	67	1.43		
	1642.0	72	1.0		
	1647.0	77	0.62		
21	1652.0	82	0.85		N
	1722.0	52	0.23		
	1727.0	57	1.0		
	1732.0	62	1.31		
	1737.0	67	0.77	0.25	
	1742.0	72	1.38	1.0	
	1747.0	77	1.0	0.60	
	1752.0	82	0.69	0.50	
21	1757.0	87	0.46	0.60	

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_ϕ</u>	<u>Symbols</u>
21	1827.0	52	0.31		
	1832.0	57	0.54		
	1837.0	62	1.23		
	1842.0	67	1.69		
	1847.0	72	1.46		
	1852.0	77	1.50		
	1857.0	82	1.25		
	1927.0	52	0.33	0.22	N
	1932.0	57	0.58	0.44	
	1937.0	62	0.50	0.44	
	1942.0	67			
	1947.0	72	1.0		
	1952.0	77	1.28	0.44	
	1957.0	82	0.93	0.67	
	2027.0	52	0.36		
	2032.0	57	0.28		
	2037.0	62	0.57		
	2042.0	67	0.36		
	2047.0	72	0.28		
22	1507.0	52	0.16		
	1512.0	57	0.33		
	1517.0	62	0.66		
	1522.0	67	1.25		
	1532.0	72	1.23		
	1537.0	77	1.38		
	1542.0	82	0.46		N
	1622.0	57	0.40		
	1627.0	62	0.60		
	1632.0	67	1.40		
	1637.0	72	1.0		
	1717.0	52	0.21		
	1722.0	57	0.21		
	1727.0	62	0.78		
	1732.0	67	1.36		
	1737.0	72	1.82		
	1742.0	77	0.82		
	1832.0	52	0.18		
	1837.0	57	0.73		
	1842.0	62	0.82		
	1847.0	67	0.90		
	1852.0	72	0.92		
	1952.0	52	0.33		
	1957.0	57	0.42	0.28	
	2002.0	62	1.08	0.57	
	2007.0	67	0.66	0.57	
	2012.0	72	0.84	0.71	
	2017.0	77	0.50	0.86	

<u>Date</u>	<u>Time (U.T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_φ</u>	<u>Symbols</u>
23	1442.0	52	-0.31		
	1447.0	57	0.23		
	1452.0	62	0.54		
	1457.0	67	0.85		
	1502.0	72	1.38		
	1507.0	77	1.31		
	1512.0	82	1.08		
	1517.0	87	0.77		N
	1647.0	52	0.15		N
	1652.0	57	0.15		
	1657.0	62	0.62		
	1702.0	67	1.54		
	1707.0	72	1.0		
	1737.0	52	-0.16		
	1742.0	57	0.25		
	1747.0	62	0.50		
	1752.0	67	0.66		
	1757.0	72	0.54		
	1832.0	52	-0.38	0.25	N
	1837.0	57	0.92	0.42	
	1842.0	62	1.46	0.33	
	1847.0	67	1.62	0.84	
	1852.0	72	1.38		
24	1727.0	52	-0.15		N
	1732.0	57	0.69		
	1737.0	62	1.38	0.40	
	1742.0	67	1.69	0.80	
	1747.0	72	2.08	0.33	
	1752.0	77	1.31	0.55	
	1757.0	82	1.0		
	1842.0	52		0.22	
	1847.0	57		0.44	
	1852.0	62		0.33	
	1857.0	67		0.67	
	1902.0	72		0.50	
	1907.0	77		0.62	
26	1517.0	62	0.73		
	1522.0	67	0.90		
	1527.0	72	0.69		
	1532.0	77	1.23		

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_φ</u>	<u>Symbols</u>
26	1802.0	52	-0.13		
	1807.0	57	0.27		
	1812.0	62	0.73		
	1817.0	67	0.53		
	1822.0	72	0.42		
	1912.0	52	-0.54		
	1917.0	57	0.31		
	1922.0	62	0.62		
	1927.0	67	1.31		
	1932.0	72	1.08		
27	1937.0	77	1.38		
	1942.0	82	1.62		
	1947.0	87	0.85		
	1952.0	92	0.77		
	1552.0	52	0.14		
	1557.0	57	0.28		
	1602.0	62	0.50		
	1607.0	67	1.0		
	1612.0	72	0.78		
	1617.0	77	1.0		
28	1622.0	82	1.14		
	1627.0	87	0.71		
	1632.0	92	0.43		
	1822.0	52	-0.55		N
	1827.0	57	0.78		N
	1832.0	62	1.11		N
	1837.0	67	0.67		N
	1842.0	72	0.89		N
	1847.0	77	0.90		N
29	1852.0	82	0.82		N
	1857.0	87	0.64		N
	1657.0	52	-0.60		N
	1702.0	57	-0.40		N
	1707.0	62	0.80	0.62	
	1712.0	67	1.0	0.37	
	1717.0	72	0.90	0.60	
	1722.0	77	0.73	0.50	
	1727.0	82	0.36	0.50	
	1732.0	87	0.27		N
	1837.0	52	0.36	0.20	S
	1842.0	57	0.73	0.40	S
	1847.0	62	1.0	0.70	S
	1852.0	67	0.90	0.40	S
	1857.0	72	0.36		S
	1902.0	77	0.36		S
	1907.0	82	0.45		S
	1912.0	87	0.36		S

<u>Date</u>	<u>Time (U. T.)</u>	<u>h_i</u>	<u>T_A</u>	<u>T_φ</u>	<u>Symbols</u>
30	1617.0	52	0.27		
	1622.0	57	0.73		
	1627.0	62	0.90		
	1632.0	67	0.90		
	1637.0	72	1.73		
	1642.0	77	1.67		
	1647.0	82	1.0		
	1652.0	87	0.33		
	1722.0	52	-0.33		
	1727.0	57	0.33		
	1732.0	62	1.0		
	1737.0	67	1.56		
	1742.0	72	2.33		
	1747.0	77	1.09		
	1752.0	82	0.73		
	1757.0	87	0.18		
	1827.0	52	-0.18		
	1832.0	57	0.36		
	1837.0	62	0.82		
	1842.0	67	1.0		
	1847.0	72	0.82		
	1852.0	77	1.46		
	1857.0	82	0.62		
	1902.0	87	0.46		
	1932.0	52	-0.38		N
	1937.0	57	0.23		N
	1942.0	62	0.54		N
	1947.0	67	0.62		N
	1952.0	72	0.62		N
	1957.0	77	0.69		N

Acknowledgements

The measurement of phase and amplitude radio wave interaction described in this report was made under the IQSY program supported mainly by the National Science Foundation, Grant GP-846. It should also be acknowledged that a portion of the experimental facilities was provided by the Air Force Cambridge Research Laboratories, Office of Aerospace Research, United States Air Force, Bedford, Massachusetts under Contract AF19(628)-4014.

References

Fejer, J. A., J. Atmosph. Terr. Phys. 7, 322 (1955).

Weisbrod, S., Scientific Report No. 206, The Ionosphere Research Laboratory, The Pennsylvania State University, March 1964.

Weisbrod, S., Ferraro, A. J. and Lee, H. S., Journal of Geophysical Research, 69, 2337 (1964).

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R&D (Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)		
1. ORIGINATING ACTIVITY (Corporate author) <u>The Pennsylvania State University</u> <u>Ionosphere Research Laboratory</u> <u>University Park, Pennsylvania</u>	2a. REPORT SECURITY CLASSIFICATION <u>Unclassified</u>	2b. GROUP
3. REPORT TITLE <u>The Measurement of Phase and Amplitude Radio Wave Interaction at University Park, Pennsylvania, October-November 1965"</u>		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) <u>Interim Report, Scientific Report No. 266</u>		
5. AUTHOR(S) (Last name, first name, initial) <u>Ferraro, Anthony J. and Lee, Hai Sup</u>		
6. REPORT DATE <u>March 15, 1966</u>	7a. TOTAL NO. OF PAGES <u>30</u>	7b. NO. OF REPS <u>3</u>
8a. CONTRACT OR GRANT NO. <u>AFCRL AF19(628)</u> b. PROJECT <u>4014, NSF Grant GP-846</u> <u>and Task 8605, 02</u>	8c. ORIGINATOR'S REPORT NUMBER(S) <u>Scientific Report No. 266</u>	
c. DoD element <u>61445014</u>	8d. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) <u>AFCRL-66-263</u>	
d. DoD subelement <u>681310</u>		
10. AVAILABILITY/LIMITATION NOTICES <p>Distribution of this document is unlimited.</p>		
11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY <u>Hq. AFCRL, OAR (CRU)</u> <u>USAF, L. G. Hanscom Field</u> <u>Bedford, Massachusetts</u>	
13. ABSTRACT <p>This report presents the data obtained from the measurement of phase and amplitude radio wave interaction during the period of October 1, 1965 through November 30, 1965. The work was carried out at the Ionosphere Research Laboratory, The Pennsylvania State University, (N. Lat. $40^{\circ}47'$, W. Long. $77^{\circ}57'$), University Park, Pennsylvania, U.S.A. The present work is categorized as "miscellaneous measurements" in the discipline of "ionosphere" in the IQSY program.</p>		

DD FORM 1 JAN 64 1473

Unclassified
Security Classification

Unclassified**Security Classification**

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Measurement of phase and amplitude radio wave interaction						
INSTRUCTIONS						
1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.	10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:					
2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.	(1) "Qualified requesters may obtain copies of this report from DDC."					
2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.	(2) "Foreign announcement and dissemination of this report by DDC is not authorized."					
3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parentheses immediately following the title.	(3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through .."					
4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.	(4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through .."					
5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.	(5) "All distribution of this report is controlled. Qualified DDC users shall request through .."					
6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.	If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.					
7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.	11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.					
7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.	12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.					
8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.	13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.					
8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.	It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).					
9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.	There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.					
9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).	14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.					

Unclassified**Security Classification**